




SnapMark™ DEVICE BOXES FOR SMS2400 SERIES
SMS2400 Series UNDIVIDED.




SMS2448




SMS2444-2



SMS2448



SMS2444-2



SMS2400 SERIES
 STEEL RACEWAY
 SECTION VIEW
 STANDARD IVORY FINISH
 COVER & BASE ORDERED SEPARATELY
 SCALE: NONE

IVORY FINISH STANDARD.

ADD "D" SUFFIX TO
 DESIGNATE DIVIDED BOXES.





MONOSYSTEMS, INC.
 UNICABLE CABLE DISTRIBUTION SOLUTIONS
 4 INTERNATIONAL DRIVE
 RYE BROOK, NEW YORK 10573
 PHONE: (914)-934-2075
 FAX: (914)-934-2190

SnapMark™ SMS2400 Series

SMS2400 BASE & COVER (ADD 'D' SUFFIX TO DESIGNATE DIVIDED)

STANDARD BASE: 10'-0" L
STANDARD COVER: 5'-0" L
STANDARD IVORY



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE


FILENAME: SMS2400/SMS2400BD

SMS2400 Raceway Wire Fill Capacities for power			
WIRE SIZE THHN/THWN	O.D. Inches	Inches	NUMBER OF CONDUCTORS (40% FILL)
			WITH PLUGMOLD RECEPTACAL
14 AWG	0.111	[2.8]	57
12 AWG	0.130	[3.3]	41
10 AWG	0.164	[4.2]	26

SMS2400 Raceway Wire Fill Capacities for Data/Communication			
CABLE/WIRE SIZE	O.D.(Approx Dia.) Inches	Inches	NUMBER OF CONDUCTORS (40% FILL)
			20% FILL
UNSHIELDED 4-Pair, 24 AWG, Cat 3	0.190	[4.8]	9
TWISTED PAIR 4-Pair, 24 AWG, Cat 5e	0.210	[5.3]	8
4-Pair, 24 AWG, Cat 6	0.250	[6.3]	5
TELEPHONE 2-Pair, 24 AWG	0.140	[3.6]	18
3-Pair, 24 AWG	0.150	[3.8]	15
4-Pair, 24 AWG	0.190	[4.8]	11
25-Pair, 24 AWG	0.410	[10.4]	2
COAXIAL RG58/U	0.195	[5.0]	9
RG59/U	0.242	[6.1]	6
RG62/U	0.242	[6.1]	6
RG6/Ue	0.270	[6.9]	4
TWINAXIAL 100 Ohm	0.330	[8.4]	3
SHIELDED TWISTED PAIR TYPE 1	0.390	[9.9]	2
TYPE 2	0.465	[11.8]	1
TYPE 3	0.245	[6.2]	5
FIBER Mini ZipCord 0.079 x 0.157	0.079 x 0.157	[2 x 4]	22
ZipCord 0.118 x 0.236	0.118 x 0.236	[3 x 6]	10
Round 4 Strand Fiber	0.187	[4.8]	10
Round 6 Strand Fiber	0.256	[6.5]	5

SMS2400D Raceway Wire Fill Capacities for power			
WIRE SIZE THHN/THWN	O.D. Inches	Inches	NUMBER OF CONDUCTORS (40% FILL)
			2/3 COMP.
14 AWG	0.111	[2.8]	11
12 AWG	0.130	[3.3]	9
10 AWG	0.164	[4.2]	6

SMS2400D Raceway Wire Fill Capacities for Data/Communication			
CABLE/WIRE SIZE	O.D.(Approx Dia.) Inches	Inches	NUMBER OF CONDUCTORS (40% FILL)
			20% FILL
UNSHIELDED 4-Pair, 24 AWG, Cat 3	0.190	[4.8]	2
TWISTED PAIR 4-Pair, 24 AWG, Cat 5e	0.210	[5.3]	2
4-Pair, 24 AWG, Cat 6	0.250	[6.3]	1
TELEPHONE 2-Pair, 24 AWG	0.140	[3.6]	4
3-Pair, 24 AWG	0.150	[3.8]	4
4-Pair, 24 AWG	0.190	[4.8]	2
25-Pair, 24 AWG	0.410	[10.4]	0
COAXIAL RG58/U	0.195	[5.0]	2
RG59/U	0.242	[6.1]	1
RG62/U	0.242	[6.1]	1
RG6/Ue	0.270	[6.9]	1
TWINAXIAL 100 Ohm	0.330	[8.4]	0
SHIELDED TWISTED PAIR TYPE 1	0.390	[9.9]	0
TYPE 2	0.465	[11.8]	0
TYPE 3	0.245	[6.2]	1
FIBER Mini ZipCord 0.079 x 0.157	0.079 x 0.157	[2 x 4]	5
ZipCord 0.118 x 0.236	0.118 x 0.236	[3 x 6]	2
Round 4 Strand Fiber	0.187	[4.8]	6
Round 6 Strand Fiber	0.256	[6.5]	1




MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

www.monosystems.com

SnapMark™
SMS2400 Series

SMS2400WC WIRE RETAINING CLIP




SNAP INTO RACEWAY
OPENING TO HOLD
WIRES IN PLACE.
USE EVERY 2.5'

SMS2400C Cover

SMS2400WC WIRE CLIP

SMS2400B Base



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE


FILENAME: SMS2400/SMS2400WC



MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

www.monosystems.com


SnapMark™
SMS2400 Series
 SMS2401 COUPLING
 FOR UNDIVIDED RACEWAY




SMS2400 SERIES
 STEEL RACEWAY
 SECTION VIEW
 STANDARD IVORY FINISH
 COVER & BASE ORDERED SEPARATELY
 SCALE: NONE

SMS2400B BASE &
 SMS2400C COVER
 (SHOWN FOR REFERENCE)

SMS2401 COUPLING




TO INSTALL: SIMPLY
 PUSH SMS2401
 COUPLING INTO END OF
 BASE OR FITTING.




MONOSYSTEMS, INC.
 SINGLE CABLE DISTRIBUTION SOLUTIONS
 4 INTERNATIONAL DRIVE
 RYE BROOK, NEW YORK 10573
 PHONE: (914)-934-2075
 FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2406 COVER CLIP




USE AT LOCATIONS
WHERE COVER
SEAMS ARE NOT CUT
SQUARE.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2400/SMS2406



www.monosystems.com



MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2409 GROUNDING ADAPTER



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2400/SMS2409



www.monosystems.com




MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2410A ENTRANCE END
UNDIVIDED.




SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE




MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2410B BLANK END




USE TO TERMINATE A
RUN OF
SMS2400B/SMS2400BD
BASE



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2400/SMS2410B





MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

www.monosystems.com

SnapMark™
SMS2400 Series

SMS2410C ENTRANCE END
UNDIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE





MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series


SMS2410DFO DIVIDED ENTRANCE END

PROVIDES
COMPARTMENTAL
SEPARATION FOR
DIVIDED SYSTEMS.
INCLUDES 3/4", 1",
& 1 1/4" TRADE
SIZE KO'S ON BACK
AND END.
REMOVABLE DIVIDER
AND RADIUS INSERT
INCLUDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2400/SMS2410DFO





MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

www.monosystems.com

SnapMark™
SMS2400 Series


SMS2411DFO FLAT ELBOW
2" RADIUS, DIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2411DFO



www.monosystems.com



MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2411FO FLAT ELBOW
2" RADIUS, UNDIVIDED.





SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE




MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2411M FLAT ELBOW
MITER STYLE FITTING




SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE





MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2415DFO TEE
2" RADIUS, DIVIDED.




SMS2400D SERIES
DIVIDED STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE





MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2415FO TEE
2" RADIUS, UNDIVIDED.




SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE





MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2415M TEE FITTING
MITER STYLE FITTING





SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190


SnapMark™
SMS2400 Series

SMS2417DFO INTERNAL ELBOW
2" RADIUS, DIVIDED.



SMS2400D SERIES
DIVIDED STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



IVORY FINISH STANDARD



MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190


SnapMark™
SMS2400 Series

SMS2417FO INTERNAL ELBOW
2" RADIUS, UNDIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



IVORY FINISH STANDARD




MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2417M INTERNAL ELBOW FITTING
MITER STYLE FITTING





SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2418DFO EXTERNAL ELBOW
2" RADIUS, DIVIDED.





SMS2400D SERIES
DIVIDED STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2418FO EXTERNAL ELBOW
2" RADIUS, UNDIVIDED.





SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE




MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2418M EXTERNAL ELBOW FITTING
MITER STYLE FITTING




SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE




MONOSYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

M.S.I. P/N: SMS2457B
 RACEWAY BRIDGE FITTING



* ALSO MAY BE USED TO
 BRIDGE SMS500/700 AND
 SMS2100 SERIES RACEWAYS.

MONOSYSTEMS, INC.
 UNIQUE CABLE DISTRIBUTION SOLUTIONS
 4 INTERNATIONAL DRIVE
 RYE BROOK, NEW YORK 10573
 PHONE: (914)-934-2075
 FAX: (914)-934-2190



ASSEMBLY HARDWARE PROVIDED
 AVAILABLE IN STANDARD IVORY

04/28/05 DOCUMENT REF. NO.: SMS2457B.DWG