



SnapMark™
SMS2400 Series


DEVICE BOXES FOR SMS2400 SERIES
 UNDIVIDED.




SMS2448




SMS2444



SMS2448-2



SMS2444-2



SMS2400 SERIES
 STEEL RACEWAY
 SECTION VIEW
 STANDARD IVORY FINISH
 COVER & BASE ORDERED SEPARATELY
 SCALE: NONE


IVORY FINISH STANDARD.

ADD "D" SUFFIX TO
 DESIGNATE DIVIDED BOXES.




SnapMark™ SMS2400 Series

SMS2400 BASE & COVER (ADD 'D' SUFFIX TO DESIGNATE DIVIDED)



STANDARD BASE: 10'-0" L
STANDARD COVER: 5'-0" L
STANDARD IVORY



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2400/SMS2400BD

SMS2400 Raceway Wire Fill Capacities for power				
WIRE SIZE THHN/THWN	O.D.		NUMBER OF CONDUCTORS (40% FILL)	
	Inches	[mm]	WITHOUT DEVICES	WITH PLUGMOLD RECEPTACAL
14 AWG	0.111	[2.8]	57	12
12 AWG	0.130	[3.3]	41	9
10 AWG	0.164	[4.2]	26	0

SMS2400 Raceway Wire Fill Capacities for Data/Communication					
	CABLE/WIRE SIZE	O.D.(Approx Dia.)		20% FILL	
		Inches	[mm]	20% FILL	40% FILL
UNSHIELDED TWISTED PAIR	4-Pair, 24 AWG, Cat 3	0.190	[4.8]	9	19
	4-Pair, 24 AWG, Cat 5e	0.210	[5.3]	8	16
	4-Pair, 24 AWG, Cat 6	0.250	[6.3]	5	11
TELEPHONE	2-Pair, 24 AWG	0.140	[3.6]	18	36
	3-Pair, 24 AWG	0.150	[3.8]	15	31
	4-Pair, 24 AWG	0.190	[4.8]	9	19
	25-Pair, 24 AWG	0.410	[10.4]	2	4
COAXIAL	RG58/U	0.195	[5.0]	9	18
	RG59/U	0.242	[6.1]	6	12
	RG62U	0.242	[6.1]	6	12
	RG6/Ue	0.270	[6.9]	4	9
TWINAXIAL	100 Ohm	0.330	[8.4]	3	6
	SHIELDED TWISTED PAIR	TYPE 1	0.390	[9.9]	2
TWISTED PAIR	TYPE 2	0.465	[11.8]	1	3
	TYPE 3	0.245	[6.2]	5	11
	FIBER	Mini ZipCord	0.079 x 0.157	[2 x 4]	22
	ZipCord	0.118 x 0.236	[3 x 6]	10	20
	Round 4 Strand Fiber	0.187	[4.8]	10	20
	Round 6 Strand Fiber	0.256	[6.5]	5	10

SMS2400D Raceway Wire Fill Capacities for power				
WIRE SIZE THHN/THWN	O.D.		NUMBER OF CONDUCTORS (40% FILL)	
	Inches	[mm]	1/3 COMP.	2/3 COMP.
14 AWG	0.111	[2.8]	11	26
12 AWG	0.130	[3.3]	9	19
10 AWG	0.164	[4.2]	6	11

SMS2400D Raceway Wire Fill Capacities for Data/Communication							
	CABLE/WIRE SIZE	O.D.(Approx Dia.)		20% FILL		40% FILL	
		Inches	[mm]	1/3 COMP.	2/3 COMP.	1/3 COMP.	2/3 COMP.
UNSHIELDED TWISTED PAIR	4-Pair, 24 AWG, Cat 3	0.190	[4.8]	2	6	5	12
	4-Pair, 24 AWG, Cat 5e	0.210	[5.3]	2	4	4	9
	4-Pair, 24 AWG, Cat 6	0.250	[6.3]	1	3	3	7
TELEPHONE	2-Pair, 24 AWG	0.140	[3.6]	4	11	9	22
	3-Pair, 24 AWG	0.150	[3.8]	4	9	8	19
	4-Pair, 24 AWG	0.190	[4.8]	2	6	5	12
	25-Pair, 24 AWG	0.410	[10.4]	0	1	1	2
COAXIAL	RG58/U	0.195	[5.0]	2	5	4	11
	RG59/U	0.242	[6.1]	1	3	3	7
	RG62U	0.242	[6.1]	1	3	3	7
	RG6/Ue	0.270	[6.9]	1	3	2	6
TWINAXIAL	100 Ohm	0.330	[8.4]	0	2	1	4
SHIELDED TWISTED PAIR	TYPE 1	0.390	[9.9]	0	1	1	2
	TYPE 2	0.465	[11.8]	0	1	0	2
	TYPE 3	0.245	[6.2]	1	3	3	7
FIBER	Mini ZipCord	0.079 x 0.157	[2 x 4]	5	13	11	27
	ZipCord	0.118 x 0.236	[3 x 6]	2	6	5	12
	Round 4 Strand Fiber	0.187	[4.8]	2	6	5	12
	Round 6 Strand Fiber	0.256	[6.5]	1	3	2	6





MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

www.monosystems.com

SnapMark™
SMS2400 Series

SMS2400WC WIRE RETAINING CLIP



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE




MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

FILENAME: SMS2400/SMS2400WC

www.monosystems.com

SnapMark™
SMS2400 Series


SMS2401 COUPLING
FOR UNDIVIDED RACEWAY



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

SMS2400B BASE &
SMS2400C COVER
(SHOWN FOR REFERENCE)

SMS2401 COUPLING




TO INSTALL: SIMPLY
PUSH SMS2401
COUPLING INTO END OF
BASE OR FITTING.




MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2406 COVER CLIP



USE AT LOCATIONS
 WHERE COVER
 SEAMS ARE NOT CUT
 SQUARE.



SMS2400 SERIES
 STEEL RACEWAY
 SECTION VIEW
 STANDARD IVORY FINISH
 COVER & BASE
 ORDERED SEPARATELY
 SCALE: NONE

FILENAME: SMS2400/SMS2406


www.monosystems.com



MONO-SYSTEMS, INC.
 UNIQUE CABLE DISTRIBUTION SOLUTIONS
 4 INTERNATIONAL DRIVE
 RYE BROOK, NEW YORK 10573
 PHONE: (914)-934-2075
 FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2409 GROUNDING ADAPTER




USE AT LOCATIONS
WHERE ADDITIONAL
GROUND
CONNECTIONS ARE
REQUIRED.

SMS2400C Cover

SMS2409 GROUNDING
ADAPTER. SET SCREW AND
10-32 GREEN
GROUND SCREW PROVIDED.

SMS2400B Base



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE





MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

FILENAME: SMS2400/SMS2409

www.monosystems.com

SnapMark™
SMS2400 Series

SMS2410A ENTRANCE END
UNDIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2410A


www.monosystems.com




MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2410B BLANK END



USE TO TERMINATE A
RUN OF
SMS2400B/SMS2400BD
BASE



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE
ORDERED SEPARATELY
SCALE: NONE





MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

FILENAME: SMS2400/SMS2410B

www.monosystems.com

SnapMark™
SMS2400 Series

SMS2410C ENTRANCE END
UNDIVIDED.




SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE




MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2410DFO DIVIDED ENTRANCE END



PROVIDES
 COMPARTMENTAL
 SEPARATION FOR
 DIVIDED SYSTEMS .
 INCLUDES 3/4", 1",
 & 1 1/4" TRADE
 SIZE KO'S ON BACK
 AND END.
 REMOVABLE DIVIDER
 AND RADIUS INSERT
 INCLUDED.



SMS2400 SERIES
 STEEL RACEWAY
 SECTION VIEW
 STANDARD IVORY FINISH
 COVER & BASE
 ORDERED SEPARATELY
 SCALE: NONE





MONO-SYSTEMS, INC.
 UNIQUE CABLE DISTRIBUTION SOLUTIONS
 4 INTERNATIONAL DRIVE
 RYE BROOK, NEW YORK 10573
 PHONE: (914)-934-2075
 FAX: (914)-934-2190

FILENAME: SMS2400/SMS2410DFO

www.monosystems.com

SnapMark™
SMS2400 Series

SMS2411DFO FLAT ELBOW
2" RADIUS, DIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2411DFO



www.monosystems.com



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2411FO FLAT ELBOW
2" RADIUS, UNDIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2411FO



www.monosystems.com



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2411M FLAT ELBOW
MITER STYLE FITTING



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2411M



www.monosystems.com



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)–934–2075
FAX: (914)–934–2190

SnapMark™
SMS2400 Series

SMS2415DFO TEE
2" RADIUS, DIVIDED.



SMS2400D SERIES
DIVIDED STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2415DFO



www.monosystems.com



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2415FO TEE
2" RADIUS, UNDIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2415FO



www.monosystems.com



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2415M TEE FITTING
MITER STYLE FITTING



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2415M



www.monosystems.com



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)–934–2075
FAX: (914)–934–2190

SnapMark™
SMS2400 Series

SMS2417DFO INTERNAL ELBOW
2" RADIUS, DIVIDED.



SMS2400D SERIES
DIVIDED STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



IVORY FINISH STANDARD



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2417FO INTERNAL ELBOW
2" RADIUS, UNDIVIDED.



SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



IVORY FINISH STANDARD



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2417M INTERNAL ELBOW FITTING
MITER STYLE FITTING





SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



SnapMark™
SMS2400 Series

SMS2418DFO EXTERNAL ELBOW
2" RADIUS, DIVIDED.



SMS2400D SERIES
DIVIDED STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE

FILENAME: SMS2418DFO



www.monosystems.com



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2418FO EXTERNAL ELBOW
2" RADIUS, UNDIVIDED.





SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

SnapMark™
SMS2400 Series

SMS2418M EXTERNAL ELBOW FITTING
MITER STYLE FITTING




SMS2400 SERIES
STEEL RACEWAY
SECTION VIEW
STANDARD IVORY FINISH
COVER & BASE ORDERED SEPARATELY
SCALE: NONE



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190

M.S.I. P/N: SMS2457B
RACEWAY BRIDGE FITTING



* ALSO MAY BE USED TO
BRIDGE SMS500/700 AND
SMS2100 SERIES RACEWAYS.

ASSEMBLY HARDWARE PROVIDED
AVAILABLE IN STANDARD IVORY

04/28/05 DOCUMENT REF. NO.: SMS2457B.DWG



MONO-SYSTEMS, INC.
UNIQUE CABLE DISTRIBUTION SOLUTIONS
4 INTERNATIONAL DRIVE
RYE BROOK, NEW YORK 10573
PHONE: (914)-934-2075
FAX: (914)-934-2190